

IN THE CLAIMS

Please amend the claims as follows:

1. (Previously Presented) Method, comprising:
obtaining at least one property related to at least one of a number of different types of data connections accessible from a mobile terminal device, wherein said at least one data connection can be used by at least one software application of said mobile terminal device; and
adapting in said mobile terminal device said at least one software application by configuring it in one of pre-configured configurations in accordance with said obtained at least one property of one of said at least one of a number of different types of data connections accessible from said mobile terminal device, wherein said pre-configured configuration relates to a use of said at least one data connection by said software application.
2. (Previously Presented) Method according to claim 1, wherein an available property comprises the identification of said data connection.
3. (Previously Presented) Method according to claim 1, wherein said properties are obtained when a specific data connection is selected.
4. (Previously Presented) Method according to claim 1, wherein said at least one accessible data connection is a potentially accessible data connection.
5. (Previously Presented) Method according to claim 1, further comprising determining actually accessible data connections, and wherein said properties are obtained during said determination.
6. (Previously Presented) Method according to claim 1, further comprising determining active software applications, and adapting pre-configured configurations of said determined active software applications.

7. (Previously Presented) Method according to claim 1, further comprising starting said software application on a mobile terminal device prior to obtaining said properties.
8. (Previously Presented) Method according to claim 1, further comprising detecting a data transfer to be performed by said software application, prior to obtaining said properties.
9. (Previously Presented) Method according to claim 1, further comprising selecting an appropriate data connection.
- 10-11. (CANCELED)
12. (Previously Presented) A computer readable storage medium having a stored computer program, comprising programming code for:
 - obtaining at least one property related to at least one of a number of different types of data connections accessible from a mobile terminal device, wherein said at least one data connection can be used by at least one software application of said mobile terminal device; and
 - adapting in said mobile terminal device said at least one software application by configuring it in one of pre-configured configurations in accordance with said at least one obtained property of one of said at least one of a number of different types of data connections accessible from said mobile terminal device, wherein said pre-configured configuration relates to a use of said at least one data connection by said software application.
13. (Currently Amended) Apparatus, comprising:
 - means for accessing at least one data connection of a number of different types of data connections;
 - means for running at least one software application, wherein said at least one data connection is usable by said at least one software application;
 - means for obtaining at least one property related to said at least one data connection;
 - means for storing pre-configured configurations of said at least one software application for said at least one accessible data connection, and

means for adapting in ~~a mobile terminal device~~said apparatus said at least one software application by configuring it in one of pre-configured configurations according to said at least one obtained property of one of said at least one data connection, wherein said pre-configured configuration relates to a use of said at least one data connection by said at least one software application.

14. (Previously Presented) Apparatus according to claim 13, further comprising means for selecting one of said at least one accessible data connections.

15-20. (CANCELED)

21. (Currently Amended) ~~Apparatus,~~An apparatus comprising at least one processor and at least one memory storing computer program code, wherein the at least one memory and stored computer program code are configured with the at least one processor, cause the apparatus to at least:

~~a data exchanger configured to access at least one data connection of a number of different types of data connections;~~

~~a data processor configured to run at least one software application, wherein said at least one data connection is usable by said at least one software application;~~

~~an obtainer configured to obtain properties~~at least one property related to said at least one of a number of different types of data connections~~connection~~ accessible from said apparatus, wherein said at least one data connection can be used by at least one software application of said apparatus; and

~~a storer configured to store pre-configured configurations of said at least one software application for said at least one accessible data connection, and~~

~~an adapter configured to adapt in a mobile terminal device~~said apparatus at least one software application ~~running on said data processor by configuring it in one of pre-configured configurations, according to~~in accordance with said obtained at least one property of one of said at least one ~~data connection~~of a number of different types of data connections accessible from said apparatus, wherein said at least one memory is configured to store pre-configured configuration of said at least one software application for said at least one accessible data

connection, and said pre-configured configuration relates to a use of said at least one data connection by said at least one software application.

22. (Previously Presented) Apparatus according to claim 21, further comprising a selector configured to select one of said at least one accessible data connections.

23-25. (CANCELED)

26. (Previously Presented) Method according to claim 1, wherein:
said adaptation is executed if said application requires to transfer data.

27. (Previously Presented) Method according to claim 1, further comprising:
adapting said at least one software application by configuring it in one of a number of pre-configured configurations device in accordance with an actual battery condition of said mobile terminal device.

28. (Previously Presented) Apparatus according to claim 13, further comprising means for adapting said at least one software application, if said at least one software application requires transferring data.

29. (Previously Presented) Apparatus according to claim 13, further comprising means for adapting said at least one software application by configuring it in one of a number of pre-configured configurations device in accordance with an actual battery condition of said mobile terminal device.

30. (Previously Presented) Apparatus according to claim 21, wherein said data processor is configured to execute said adaptation if a data transfer is actually required by said application.

31. (Previously Presented) Apparatus according to claim 21, wherein said data processor is configured for adapting said at least one software application by configuring it in one of a

number of pre-configured configurations device in accordance with an actual battery condition of said mobile terminal device.